

## PHYTOSOME®

LOGO USAGE GUIDELINES

# Allowed Color Variation

This Logo must be reproduced in black, white, blue and green whenever possible in accordance with the following color specifications.

#### **Library Colors:**

Black: Pantone\* standard/process black

White: Pantone\* 11-0601

Dark Blue: Pantone\* 3005 (Solid) Light Blue: Pantone\* 2376 (Solid)

#### **CMYK Colors:**

	С	М	Υ	K
Black	0	0	0	100
White	0	0	0	0
Dark Blue	100	90	0	0
Light Blue	100	34	0	0

#### **RGB Colors:**

	R	G	В
Black	26	23	27
White	255	255	255
Dark Blue	0	55	139
Light Blue	0	124	195



Visit Indena.com to get the original Logos, Logo Usage Guidelines and the most updated registration status.

Please note that this trademark and logo may only be used if so expressly authorised by Indena S.p.A. in writing. Any unauthorised use will be considered as an infringement of Indena Intellectual Property rights and appropriate action will be taken.

### ® Registered Trademark Positioning

The ® Registered Trademark symbol **must** be used on the Phytosome® Logo in the following countries:

Australia Egypt South Korea Japan Estonia Spain Austria Latvia Belgium Finland Lithuania Sweden France Brazil Luxembourg Switzerland Bulgaria Germany Malesia Slovakia Canada Slovenia Greece Malta Thailand China Hungary Netherlands Chile Norway India Indonesia Poland IISA Cyprus Czech Rep. Ireland Portugal Vietnam Denmark Italv Romania

Whenever the Logo is used, Phytosome® must be clearly stated on the "ingredient list".

The following sentence must appear somewhere on the package, on the website or on printed materials:

"Phytosome $^{ ext{o}}$  is a Registered Trademark of Indena S.p.A., Italy"

#### Logo on packaging and print materials:

placement of the color Logo on the front panel is preferred.

#### Minimum size:

the minimum width of the Logo is 20 mm.



#### **Print materials:**

the Logo is recommended to be used in print materials that promote your product containing Phytosome<sup>®</sup>.

The Logo should appear close to or on the same page as your product logo.

#### Web sites:

the Logo should appear on the same webpage as your product containing Phytosome®.



#### **HEADQUARTERS - INDENA S.p.A.**

Viale Ortles, 12 20139 Milan, Italy ph. +39 02.574961

#### INDENA BIOTECHNOLOGY (Shanghai) Co., Ltd

Unit 03, 16/F, Cross Tower, 318 Fu Zhou Road Shanghai 200001 - China ph. +86.21.22815900

#### INDENA S.A.S.

23, Rue de Madrid 75008 Paris - France ph. +33 1 45229128

#### INDENA JAPAN Co., Ltd.

KDDI Bdl. 21F. 1-8-1 Otemachi Chyoda-Ku Tokyo 100-0004 Japan tel. +81.3.3243 9924

#### INDENA USA Inc.

Two Union Square 601 Union Street, Suite 330 Seattle, WA 98101 - USA tel. +1.206.340.6140

#### INDENA Brasil Ltda

Rua Bandeira Paulista, 600 CEP 04532-001 São Paulo - Brasil tel. +55.1.127.690.624

indena.com





